Test Report n° TR_21080

Rapporto di prova n° TR_21080

Environmental testing – Test Cab: Damp heat, steady state

Prove ambientali – Prova Cab: Caldo umido, regime stazionario

Ref: test procedure IL22003

Rif: procedura di test IL 22003

Product under testing ***Prodotto testato***	CPTOU4615 LS P3L3ARIO2H-4G1WTTSPFAEZ0
P/N ***P/N***	993202033501
Lab Sample ID ***ID campione***	20047
Received date ***Ricevuto il***	15/03/2021
Derived models ***Modelli derivati***	993202033500 / D_CPTOU4615 LS P3L3ARIEH------EZ0
Standard Rev. Date/Ed. ***Standard/Data Revisione/Ed.***	**EN 60068-2-78:2013** – *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*
Manufacturer ***Costruttore***	AESYS S.p.A. Via Pastrengo 7c 24068 Seriate (BG) Italia Tel: +39.0352924111 www.aesys.com
Start test date ***Data inizio test***	16/04/2021
End test date ***Data fine test***	17/04/2021
First issue ***Prima emissione***	20/04/2021
Laboratory Technician ***Tecnico di laboratorio***	Sergio Fustinoni
Lab Manager ***Responsabile di laboratorio***	Marco Verzeroli
Verdict ***Esito***	**COMPLIANT**
Revision ***Revisione***	01
Revision date ***Data revisione***	26/04/2021

Revision	Reason	Name	Sign
01			

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

Summary
Sommario

1 DUT – GENERAL PRODUCT INFORMATION 3
2 TEST PROCEDURE 4
3 TEST EQUIPMENT INFORMATION 4
4 TEST PARAMETERS 4
5 TEST SETUP 5
6 TEST RESULT 7
6.1 ENVIRONMENTAL CONDITIONS 7
6.2 STARTUP VERIFICATION 7
6.3 END TEST VERIFICATION 8
6.4 TEST DATA 8
6.5 ADDITIONAL INFORMATION / NOTES: 10

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

1 DUT – GENERAL PRODUCT INFORMATION
DUT – INFORMAZIONI GENERALI

The DUT (Device Under Test), CPTOU4615LSP3L3ARIO2H-4G1WTTSPFAEZ0, is a variable message panel based on TFT technology used for video-information in railways applications.

CPTOU4615 LS P3L3ARIO2H-4G1WTTSPFAEZ0



DUT – Product identification label

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

2 TEST PROCEDURE
PROCEDURA DI TEST

Test performed according to Aesys internal procedure *IL22003_Prova Cab. – Caldo umido, regime stazionario.*

3 TEST EQUIPMENT INFORMATION
INFORMAZIONI SULLA STRUMENTAZIONE UTILIZZATA

ID	Description	Model	Manufacturer	Serial n°	Last Calibration Date	Next Calibration Date
48	Climatic room	CH2000D	Angelantoni Industrie	7029	01/03/2021	03/03/2023
112	Data acquisition control unit	MX100	Yokogawa	91N427912	24/06/2019	25/06/2021
290 356	Data acquisition input unit	MX110	Yokogawa	91P527795 91S525693	24/06/2019	25/06/2021
142	Wattmeter	WT230	Yokogawa	91F611778	24/06/2019	25/06/2021

4 TEST PARAMETERS
PARAMETRI DI TEST

Test severity level :

Temp. (°C)/Humid. (RH%):
- ☐ 30°C±2°C / 93%±3%
- ☐ 30°C±2°C / 85%±3%
- ☒ 40°C±2°C / 93%±3%
- ☐ 40°C±2°C / 85%±3%
- ☐ Custom:

Duration:

☒ 12h	☐ 4 days
☐ 16h	☐ 10 days
☐ 24h	☐ 21 days
☐ 2 days	☐ 56 days

Environmental conditions:
Temperature range: 15°C to 35°C
Relative humidity: 25 to 75%
Pressure: 860 to 1060 hPa

Test measurements uncertainty:
Temperature: ± 1°C

The measurement uncertainties stated in this document are estimated as extended uncertainty obtained multiplying the standard uncertainty by the coverage factor *k* corresponding to a confidence level of about 95%.

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

5 TEST SETUP
TEST SETUP

Test according to EN 60068-2-78:2013 Clause 4.

Parameters and behaviours monitored:

Parameter/Behaviour	Evaluation criteria
Mechanical check	No mechanical damage, no cracks
Electrical check	No electrical failure, no abnormal power consumption
Display check	Correct visualization of the define image
Communication check	No loss of data communication, data exchanged are correct
Temperature	Temperature below the limit (if present)

List of thermocouples:

Channel	Position		Side
1	GLASS OUTER CENTER		GLASS
2	TOP SX EXTERNAL GLASS		
3	LOWER RH EXTERNAL GLASS		
4	INNER GLASS CENTER		
5	TOP SX INTERNAL GLASS		
6	LOWER RH INTERNAL GLASS		
7	TFT FRONT CENTER		TFT
8	TFT FRONT UPPER LEFT		
9	TFT FRONT TOP RH		
10	TFT LOW FRONT LEFT		
11	TFT LOW FRONT RH		
12	TFT REAR PROBE (SENSOR)		
13	PC PROBE SINK		INTERIOR DY
14	TEMPERATURE PROBE 1609		
15	PROBE POWER SUPPLY		
16	BOTTOM LEFT INTERIOR (EXCHANGER)		EXCHANGER
17	BOTTOM RIGHT INTERIOR (EXCHANGER)		
18	OUT UPPER INTERNAL LEFT (EXCHANGER)		
19	OUT TOP INSIDE RIGHT (EXCHANGER)		
20	LOW EXT LEFT (EXCHANGER)		
21	LOW EXT RIGHT (EXCHANGER)		
22	TOP EXT LEFT (EXCHANGER)		
23	TOP EXT RIGHT (EXCHANGER)		
28	EXTERNAL PROBE (CHAMBER TEMPERATURE)		CHAMBER

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058



Sx Observer = Sx Display
Dx Observer = Dx Display
A : H/4 mm
B : V/4 mm
@ H,V : Active Area



Thermocouples positioning

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

Test setup shown in the following pictures:

Test arrangement inside the chamber

6 TEST RESULT

TEST RESULT

6.1 Environmental conditions

Condizioni ambientali

Test	Performance criteria	Result	Verdict
Environmental temperature	Between +15°C and +35°C	21,3 °C	**Pass**
Relative humidity	Between 25% and 75%	46,5 %	**Pass**
Pressure	Between 860 and 1060 hPa	1010 hPa	**Pass**

6.2 Startup verification

Verifica iniziale

Test	Evaluation criteria	Result	Verdict
Mechanical check	No mechanical damage, no cracks	No mechanical damage	**Pass**
Electrical check	No electrical failure, no abnormal power consumption	Voltage: 223,5V Current 0,63A Power: 129,00W	**Pass**
Display check	Correct visualization of the define image	No loss of visualization	**Pass**
Communication check	No loss of data communication, data exchanged are correct	Constant communication	**Pass**
Temperature	Temperature below the limit (if present)	No temperature limit	**Pass**

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

6.3 End test verification
Verifica al termine del test

Test	Evaluation criteria	Result/Comments	Verdict
Mechanical check	No mechanical damage, no cracks	No mechanical damage	**Pass**
Electrical check	No electrical failure, no abnormal power consumption	Voltage: 223,36V Current: 0,63A Power: 129,00W	**Pass**
Display check	Correct visualization of the define image	No loss of visualization	**Pass**
Communication check	No loss of data communication, data exchanged are correct	Constant communication	**Pass**
Temperature	Temperature below the limit (if present)	No temperature limit	**Pass**

6.4 Test data
Dati del test

The following graph shows the internal temperature, the environmental temperature and the power measured during the entire thermal cycle.



Absorption details -Temp.-Volt- Watt

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058



Graph of the measured temperatures

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058

The minimal temperatures are reported in the table hereunder:

Channel	Position	Max. temperature measured after steady state (°C)
1	GLASS OUTER CENTER	43.4
2	TOP SX EXTERNAL GLASS	43.3
3	LOWER RH EXTERNAL GLASS	43.0
4	INNER GLASS CENTER	44.2
5	TOP SX INTERNAL GLASS	43.8
6	LOWER RH INTERNAL GLASS	43.4
7	TFT FRONT CENTER	46.5
8	TFT FRONT UPPER LEFT	47.0
9	TFT FRONT TOP RH	47.1
10	TFT LOW FRONT LEFT	46.1
11	TFT LOW FRONT RH	46.4
12	TFT REAR PROBE (SENSOR)	45.8
13	PC PROBE SINK	48.6
14	TEMPERATURE PROBE 1609	46.6
15	PROBE POWER SUPPLY	51.0
16	BOTTOM LEFT INTERIOR (EXCHANGER)	43.8
17	BOTTOM RIGHT INTERIOR (EXCHANGER)	43.3
18	OUT UPPER INTERNAL LEFT (EXCHANGER)	45.6
19	OUT TOP INSIDE RIGHT (EXCHANGER)	45.5
20	LOW EXT LEFT (EXCHANGER)	40.8
21	LOW EXT RIGHT (EXCHANGER)	41.1
22	TOP EXT LEFT (EXCHANGER)	44.3
23	TOP EXT RIGHT (EXCHANGER)	43.7
28	EXTERNAL PROBE (CHAMBER TEMPERATURE)	41.8

Test	Evaluation criteria	Result	Verdict
Damp heat, steady state	No mechanical and electrical failure No loss of performance No thermal hazard	No mechanical and electrical failure No loss of performance No thermal hazard	**Pass**

6.5 Additional information / Notes:
Informazioni aggiuntive / Note:

END OF TEST REPORT
Fine del test report

Aesys S.p.A. • Headquarters: Via Pastrengo 7c - 24068 Seriate - Bergamo - Italy • T. +39 035 29240 • F. +39 035 680030 • www.aesys.com • email: info@aesys.com
Registered office: Via Artigiani 41 - 24060 Brusaporto - Bergamo - Italy • Management & Coordination by Aesys Holding S.r.l. • Share Capital € 5.000.000 fully paid-up
VAT Number • Tax Payer's Code • Registration no. at Trade Register in Bergamo 02052370166 • Registro AEE IT08020000001058